	Application No.	Applicant(s)
Notice of Allowability	10/615,863	BELLIVEAU, RICHARD S.
	Examiner	Art Unit
	Bao Q. Truong	2875
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>30 June 2005</u> .		
2. The allowed claim(s) is/are <u>1-12</u> .		
3. The drawings filed on <u>09 July 2003</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the 		
attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 07/09/2003 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. Interview Summary Paper No./Mail Dat 98), 7. 又 Examiner's Amenda	

Art Unit: 2875

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Cancel claims 13-27.

- 2. This application is in condition for allowance except for the presence of claims 13-27 to an invention non-elected without traverse. Accordingly, claims 13-27 been cancelled.
- 3. Claims 1-12 are allowed.

The following is an examiner's statement of reasons for allowance:

Claims 1, 6 and 12, a stage lighting apparatus comprises, in combination, a swap function to change a first set images to a second set images of a set of image data.

Claims 2-5 are dependent on claim 1.

Claims 7-11 are dependent on claim 6.

The limitations discussed above are neither disclosed nor suggested by the prior art of record.

Application/Control Number: 10/615,863

Art Unit: 2875

Taylor et al. [US 5,769,527] discloses a stage lighting system with a memory, a processor, and an image data, but does not disclose or suggest the swap function to change the set of image data.

Sugden [US 5,406,176] discloses a computer controlled stage lighting system with memory means and processor to control a lamp fixture for coloring, focusing and beam shaping, but does not disclose or suggest the swap function to change the set of image data.

Bornhorst [US 4,701,833] discloses a stage lighting system with two rotating color filters but does not disclose or suggest the swap function to change the image data.

Hunt et al. [US 5,502,627] discloses a stage lighting lamp system with a processor and RAM memory to control pan and tilt angles for a lamp, but does not disclose or suggest the swap function to change the image data.

Hewlett et al. [US 6,188,933] discloses an electronically controlled stage lighting system with a microprocessor, a RAM memory and an image storage, but does not disclose or suggest the swap function to change the image data.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2875

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bao Q. Truong whose telephone number is (571) 272-2383. The examiner can normally be reached on Monday-Friday (8:00 AM - 4:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra L. O'Shea can be reached on (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Bao Q. Truong Examiner Art Unit 2875

JOHN ANTHONY WARD PRIMARY EXAMINER